

	Hits	Search Text	DBs
1	636	(optical or infrared) and 236/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	250	(236/47).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
3	32	(optical or infrared) and ((236/47).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	76043	(optical or infrared) adj (sensor or receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT
5	113546	(air adj temperature) or thermostat	USPAT; US-PGPUB; EPO; JPO; DERWENT
6	1049	((optical or infrared) adj (sensor or receiver)) and ((air adj temperature) or thermostat)	USPAT; US-PGPUB; EPO; JPO; DERWENT
7	63	((optical or infrared) adj (sensor or receiver)) and ((air adj temperature) or thermostat)) and 236/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
8	523	flexible adj switch	USPAT; US-PGPUB; EPO; JPO; DERWENT
9	1	(flexible adj switch) and 236/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
10	39824	flexible with arm	USPAT; US-PGPUB; EPO; JPO; DERWENT
11	30	(flexible with arm) and 236/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
12	24963	flexible near5 arm	USPAT; US-PGPUB; EPO; JPO; DERWENT
13	15	(flexible near5 arm) and 236/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
14	1504	(flexible near5 arm) same cover	USPAT; US-PGPUB; EPO; JPO; DERWENT
15	802	(flexible near5 arm) with cover	USPAT; US-PGPUB; EPO; JPO; DERWENT
16	8	((flexible near5 arm) with cover) and ((air adj temperature) or thermostat)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Hits	Search Text	DBs
17	0	((flexible near5 arm) with cover) and 236/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
18	0	((flexible near5 arm) same cover) and 236/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
19	59403	flexible with cover	USPAT; US-PGPUB; EPO; JPO; DERWENT
20	647	(flexible with cover) and ((air adj temperature) or thermostat)	USPAT; US-PGPUB; EPO; JPO; DERWENT
21	24	((flexible with cover) and ((air adj temperature) or thermostat)) and 236/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
22	5422	cutout with cover	USPAT; US-PGPUB; EPO; JPO; DERWENT
23	11	(cutout with cover) and 236/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
24	1241	arm with cover with switch	USPAT; US-PGPUB; EPO; JPO; DERWENT
25	4	(arm with cover with switch) and 236/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
26	2896	(arm or switch) with recess\$3 with cover	USPAT; US-PGPUB; EPO; JPO; DERWENT
27	45	((arm or switch) with recess\$3 with cover) and ((air adj temperature) or thermostat)	USPAT; US-PGPUB; EPO; JPO; DERWENT
28	2	((arm or switch) with recess\$3 with cover) and ((air adj temperature) or thermostat)) and 236/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
29	4	((arm or switch) with recess\$3 with cover) and 236/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
30	243	(arm or switch) with cutout with cover	USPAT; US-PGPUB; EPO; JPO; DERWENT
31	2	flexible with (arm or switch) with cutout with cover	USPAT; US-PGPUB; EPO; JPO; DERWENT
32	2299	flexible with (arm or switch) with cover	USPAT; US-PGPUB; EPO; JPO; DERWENT
33	0	(flexible with (arm or switch) with cover) and 236/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Hits	Search Text	DBs
34	22	(flexible with (arm or switch) with cover) and ((air adj temperature) or thermostat)	USPAT; US-PGPUB; EPO; JPO; DERWENT
35	616	flexible with (arm or switch) with post	USPAT; US-PGPUB; EPO; JPO; DERWENT
36	222	(flexible near2 (arm or switch)) with post	USPAT; US-PGPUB; EPO; JPO; DERWENT
37	3	((flexible near2 (arm or switch)) with post) and ((air adj temperature) or thermostat)	USPAT; US-PGPUB; EPO; JPO; DERWENT
38	0	((flexible near2 (arm or switch)) with post) and 236/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
39	10	((flexible near2 (arm or switch)) with post) with cover	USPAT; US-PGPUB; EPO; JPO; DERWENT
40	1106	(flexible near2 (arm or switch)) with actuat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT
41	39	((flexible near2 (arm or switch)) with actuat\$3) with cover	USPAT; US-PGPUB; EPO; JPO; DERWENT
42	9	(flexible near2 (light adj switch))	USPAT; US-PGPUB; EPO; JPO; DERWENT
43	71	(flexible with (light adj switch))	USPAT; US-PGPUB; EPO; JPO; DERWENT
44	7	cover with arm with (light adj switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT
45	1	cover with cutout with (light adj switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT
46	0	(cover with cutout with arm) and (light adj switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT
47	140	(cover with arm) and (light adj switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT
48	5	(cover with deflect\$3) and (light adj switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT
49	21	(cover with deflect\$3) and (light adj switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT
50	575	cover with deflect\$3 with (arm or switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Hits	Search Text	DBs
51	5	(cover with deflect\$3 with (arm or switch)) and ((air adj temperature) or thermostat)	USPAT; US-PGPUB; EPO; JPO; DERWENT
52	0	(cover with deflect\$3 with (arm or switch)) and 236/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
53	30291	deflect\$3 with (arm or switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT
54	377	(deflect\$3 with (arm or switch)) and ((air adj temperature) or thermostat)	USPAT; US-PGPUB; EPO; JPO; DERWENT
55	16501	deflect\$3 near4 (arm or switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT
56	186	(deflect\$3 near4 (arm or switch)) and ((air adj temperature) or thermostat)	USPAT; US-PGPUB; EPO; JPO; DERWENT
57	23	(deflect\$3 near4 (arm or switch)) and 236/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
58	243	(deflect\$3 near3 (arm or switch)) with cover	USPAT; US-PGPUB; EPO; JPO; DERWENT
59	19	((deflect\$3 near3 (arm or switch)) with cover) and cutout	USPAT; US-PGPUB; EPO; JPO; DERWENT
60	75	(337/8).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
61	86	(337/9).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
62	0	(deflect\$3 near4 (arm or switch)) and (((337/8).CCLS.) or ((337/9).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT
63	5938	deflect\$3 near5 cover	USPAT; US-PGPUB; EPO; JPO; DERWENT
64	12	(deflect\$3 near5 cover) and (236/\$.ccls. or 337/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT
65	539	(deflect\$3 near4 arm) with switch	USPAT; US-PGPUB; EPO; JPO; DERWENT
66	784	(deflect\$3 near4 (arm or lever)) with switch	USPAT; US-PGPUB; EPO; JPO; DERWENT
67	32	((deflect\$3 near4 (arm or lever)) with switch) and (236/\$.ccls. or 337/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Hits	Search Text	DBs
68	296	(deflect\$3 near4 lever) with switch	USPAT; US-PGPUB; EPO; JPO; DERWENT
69	1	((deflect\$3 near4 lever) with switch) with cover	USPAT; US-PGPUB; EPO; JPO; DERWENT
70	8	((deflect\$3 near4 lever) with switch) and (236/\$.ccls. or 337/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT
71	7	((deflect\$3 near4 lever) with switch) and ((air adj temperature) or thermostat)	USPAT; US-PGPUB; EPO; JPO; DERWENT
72	21628	deflect\$4 near4 (arm or switch or lever)	USPAT; US-PGPUB; EPO; JPO; DERWENT
73	225	(deflect\$4 near4 (arm or switch or lever)) and ((air adj temperature) or thermostat)	USPAT; US-PGPUB; EPO; JPO; DERWENT
74	437	(deflect\$4 near4 (arm or switch or lever)) with cover	USPAT; US-PGPUB; EPO; JPO; DERWENT
75	4	((deflect\$4 near4 (arm or switch or lever)) with cover) and ((air adj temperature) or thermostat)	USPAT; US-PGPUB; EPO; JPO; DERWENT
76	2	((deflect\$4 near4 (arm or switch or lever)) with cover) and (236/\$.ccls. or 337/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT
77	181	(deflect\$4 near4 (arm or switch or lever)) and (236/\$.ccls. or 337/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT
78	0	(deflect\$4 near4 (arm or switch or lever)) with ((formed adj from) near4 cover)	USPAT; US-PGPUB; EPO; JPO; DERWENT
79	0	(deflect\$4 near4 (arm or switch or lever)) with ((part adj of) near4 cover)	USPAT; US-PGPUB; EPO; JPO; DERWENT
80	0	(deflect\$4 near4 (arm or switch or lever)) same ((part adj of) near4 cover)	USPAT; US-PGPUB; EPO; JPO; DERWENT
81	178	(deflect\$4 near4 (arm or switch or lever)) and ((light or temperature) adj switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT
82	10897	(deflect\$4 or flexible) adj (arm or lever)	USPAT; US-PGPUB; EPO; JPO; DERWENT
83	99	((deflect\$4 or flexible) adj (arm or lever)) and ((air adj temperature) or thermostat)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Hits	Search Text	DBs
84	1104	(deflect\$4 or flexible) adj switch	USPAT; US-PGPUB; EPO; JPO; DERWENT
85	30	((deflect\$4 or flexible) adj switch) and ((air adj temperature) or thermostat)	USPAT; US-PGPUB; EPO; JPO; DERWENT
86	4736	(flexible or deflect\$4) near2 tongue	USPAT; US-PGPUB; EPO; JPO; DERWENT
87	6	((flexible or deflect\$4) near2 tongue) and 236/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
88	3	((flexible or deflect\$4) near2 tongue) and 236/\$.ccls.) and thermostat	USPAT; US-PGPUB; EPO; JPO; DERWENT
89	30	((flexible or deflect\$4) near2 tongue) and thermostat	USPAT; US-PGPUB; EPO; JPO; DERWENT
90	12	((flexible or deflect\$4) near2 tongue) and 62/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
91	77	((flexible or deflect\$4) near2 tongue) with switch	USPAT; US-PGPUB; EPO; JPO; DERWENT
92	4	((flexible or deflect\$4) near2 tongue) and (light adj switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT
93	372	switch with tang	USPAT; US-PGPUB; EPO; JPO; DERWENT
94	54	236/\$.ccls. and tang	USPAT; US-PGPUB; EPO; JPO; DERWENT
95	56	(light adj switch) and tang	USPAT; US-PGPUB; EPO; JPO; DERWENT
96	364	(398/202).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
97	162	(398/212).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
98	1	((air adj temperature) or thermostat) and ((398/202).CCLS.) or ((398/212).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT
99	1	398/\$.ccls. and 236/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT